



Characteristics

Conservation Plant Characteristics

Eragrostis curvula (Schrad.) Nees weeping lovegrass ERCU2

Summary

Duration Perennial Federal T/E Status

Growth Habit Graminoid National Wetland Indicator

U.S. Nativity

Morphology/Physiology

Active Growth Period	Summer	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Slow	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	High	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	3
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short
Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Dense	Resprout Ability	No
Foliage Porosity Winter	Porous	Shape and Orientation	Erect
Foliage Texture	Fine	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	4.5
Adapted To Fine Textured Soils	No	pH, Maximum	8.5
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	High	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	15
Drought Tolerance	High	Precipitation, Maximum	40
Fertility Requirement	Medium	Root Depth, Minimum	14
Fire Tolerance	Medium	Salinity Tolerance	Low
Frost Free Days, Minimum	160	Shade Tolerance	Intolerant

Hedge Tolerance	None	Temperature, Minimum (°F)	-8
-----------------	------	---------------------------	----

Reproduction

Bloom Period	Mid Spring	Propagated By Cuttings	No
Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Spring	Propagated By Sprigs	No
Fruit/Seed Period End	Summer	Propagated By Tubers	No
Fruit/Seed Persistence	No	Seed Per Pound	1482320
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	Medium
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Low
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

Eragrostis curvula (Schrad.) Nees weeping lovegrass ERCU2

Cultivar: A67

Summary

Duration	Perennial	Federal T/E Status
Growth Habit	Graminoid	National Wetland Indicator
U.S. Nativity		

Summer

Morphology/Physiology

Active Growth Period

After Harvest Regrowth Rate	Moderate	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Medium	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	3
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short

2 of 9 3/19/2008 2:40 PM

Fruit/Seed Conspicuous

No

Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Moderate	Resprout Ability	No
Foliage Porosity Winter	Porous	Shape and Orientation	Erect
Foliage Texture	Medium	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	4.5
Adapted To Fine Textured Soils	No	pH, Maximum	8
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	High	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	15
Drought Tolerance	High	Precipitation, Maximum	40
Fertility Requirement	High	Root Depth, Minimum	14
Fire Tolerance	Medium	Salinity Tolerance	Low
Frost Free Days, Minimum	180	Shade Tolerance	Intolerant
Hedge Tolerance	None	Temperature, Minimum (°F)	-3

Reproduction

Bloom Period	Late Spring	Propagated By Cuttings	No
Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Summer	Propagated By Sprigs	No
Fruit/Seed Period End	Summer	Propagated By Tubers	No
Fruit/Seed Persistence	No	Seed Per Pound	1482320
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	Medium
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Medium
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

Eragrostis curvula (Schrad.) Nees

weeping lovegrass ERCU2

Cultivar: A84

Summary

Perennial Federal T/E Status Duration

Growth Habit Graminoid National Wetland Indicator

U.S. Nativity

Morphology/Physiology

Active Growth Period	Summer	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Moderate	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Medium	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	3
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short
Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Moderate	Resprout Ability	No
Foliage Porosity Winter	Porous	Shape and Orientation	Erect
Foliage Texture	Medium	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	4.5
Adapted To Fine Textured Soils	No	pH, Maximum	8
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	High	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	10
Drought Tolerance	High	Precipitation, Maximum	40
Fertility Requirement	High	Root Depth, Minimum	14
Fire Tolerance	Medium	Salinity Tolerance	Low
Frost Free Days, Minimum	210	Shade Tolerance	Intolerant
Hedge Tolerance	None	Temperature, Minimum (°F)	7

Reproduction

Bloom Period	Late Spring	Propagated By Cuttings	No
Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Summer	Propagated By Sprigs	No

Fruit/Seed Period End	Summer	Propagated By Tubers	No
Fruit/Seed Persistence	No	Seed Per Pound	1482320
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	Medium
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Medium
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

Eragrostis curvula (Schrad.) Nees weeping lovegrass ERCU2

Cultivar: Catalina

Summary

Duration	Perennial	Federal T/E Status
Growth Habit	Graminoid	National Wetland Indicator
U.S. Nativity		

Morphology/Physiology

Active Growth Period	Summer	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Moderate	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Medium	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	3
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short
Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Moderate	Resprout Ability	No
Foliage Porosity Winter	Porous	Shape and Orientation	Erect
Foliage Texture	Medium	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	4.5
Adapted To Fine Textured Soils	No	pH, Maximum	8
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	High	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	10
Drought Tolerance	High	Precipitation, Maximum	40
Fertility Requirement	High	Root Depth, Minimum	16
Fire Tolerance	Medium	Salinity Tolerance	Low
Frost Free Days, Minimum	240	Shade Tolerance	Intolerant
Hedge Tolerance	None	Temperature, Minimum (°F)	-3

Reproduction

Late Spring	Propagated By Cuttings	No
Routinely Available	Propagated By Seed	Yes
High	Propagated By Sod	No
Summer	Propagated By Sprigs	No
Summer	Propagated By Tubers	No
No	Seed Per Pound	1482320
No	Seed Spread Rate	Moderate
No	Seedling Vigor	High
No	Small Grain	No
No	Vegetative Spread Rate	None
	Routinely Available High Summer Summer No No No No	Routinely Available Propagated By Seed High Propagated By Sod Summer Propagated By Sprigs Summer Propagated By Tubers No Seed Per Pound No Seed Spread Rate No Seedling Vigor No Small Grain

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	High
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Medium
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

Eragrostis curvula (Schrad.) Nees weeping lovegrass

ERCU2

Cultivar: Ermelo

Summary

Duration	Perennial	Federal T/E Status
Growth Habit	Graminoid	National Wetland Indicator

U.S. Nativity

Morphology/Physiology

Active Growth Period	Summer	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Moderate	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Medium	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	3
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short
Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Moderate	Resprout Ability	No
Foliage Porosity Winter	Porous	Shape and Orientation	Erect
Foliage Texture	Medium	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	4.5
Adapted To Fine Textured Soils	No	pH, Maximum	8
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	High	Planting Density Per Acre, Maximum	
Cold Stratification Required	No	Precipitation, Minimum	15
Drought Tolerance	High	Precipitation, Maximum	40
Fertility Requirement	High	Root Depth, Minimum	14
Fire Tolerance	Medium	Salinity Tolerance	Low
Frost Free Days, Minimum	200	Shade Tolerance	Intolerant
Hedge Tolerance	None	Temperature, Minimum (°F)	2

Reproduction

Bloom Period	Late Spring	Propagated By Cuttings	No
Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Summer	Propagated By Sprigs	No
Fruit/Seed Period End	Summer	Propagated By Tubers	No
Fruit/Seed Persistence	No	Seed Per Pound	1482320
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	Medium
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Medium
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

Eragrostis curvula (Schrad.) Nees weeping lovegrass ERCU2

Cultivar: Morpha

Summary

Duration	Perennial	Federal T/E Status

Growth Habit Graminoid National Wetland Indicator

U.S. Nativity

Morphology/Physiology

Active Growth Period	Summer	Fruit/Seed Conspicuous	No
After Harvest Regrowth Rate	Moderate	Growth Form	Bunch
Bloat	None	Growth Rate	Rapid
C:N Ratio	Medium	Height at Base Age, Maximum	
Coppice Potential	No	Height at Maturity	3
Fall Conspicuous	No	Known Allelopath	No
Fire Resistant	No	Leaf Retention	No
Flower Color	Yellow	Lifespan	Short
Flower Conspicuous	No	Low Growing Grass	No
Foliage Color	Green	Nitrogen Fixation	
Foliage Porosity Summer	Moderate	Resprout Ability	No
Foliage Porosity Winter	Porous	Shape and Orientation	Erect
Foliage Texture	Medium	Toxicity	None
Fruit/Seed Color	Brown		

Growth Requirements

Adapted To Coarse Textured Soils	Yes	Moisture Use	Medium
Adapted To Medium Textured Soils	Yes	pH, Minimum	4.5
Adapted To Fine Textured Soils	No	pH, Maximum	8
Anaerobic Tolerance	Low	Planting Density Per Acre, Minimum	
CaCO3 Tolerance	High	Planting Density Per Acre, Maximum	

Cold Stratification Required	No	Precipitation, Minimum	15
Drought Tolerance	High	Precipitation, Maximum	40
Fertility Requirement	High	Root Depth, Minimum	14
Fire Tolerance	Medium	Salinity Tolerance	Low
Frost Free Days, Minimum	200	Shade Tolerance	Intolerant
Hedge Tolerance	None	Temperature, Minimum (°F)	2

Reproduction

Bloom Period	Late Spring	Propagated By Cuttings	No
Commercial Availability	Routinely Available	Propagated By Seed	Yes
Fruit/Seed Abundance	High	Propagated By Sod	No
Fruit/Seed Period Begin	Summer	Propagated By Sprigs	No
Fruit/Seed Period End	Summer	Propagated By Tubers	No
Fruit/Seed Persistence	No	Seed Per Pound	1482320
Propagated By Bare Root	No	Seed Spread Rate	Moderate
Propagated By Bulbs	No	Seedling Vigor	High
Propagated By Container	No	Small Grain	No
Propagated By Corms	No	Vegetative Spread Rate	None

Suitibility/Use

Berry/Nut/Seed Product	No	Palatable Browse Animal	Low
Christmas Tree Product	No	Palatable Graze Animal	High
Fodder Product	Yes	Palatable Human	No
Fuelwood Product	None	Post Product	No
Lumber Product	No	Protein Potential	Medium
Naval Store Product	No	Pulpwood Product	No
Nursery Stock Product	No	Veneer Product	No

Time Generated: 03/19/2008 01:39 PM MDT

Close Window